

**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

1. (Previously Presented): A content delivery system comprising:  
a user device disposed at a client side of the content delivery system, and  
a capture system located remote from said user device, at a server side of the content delivery system, and operable to capture and process content data as the content data is broadcast from a content broadcaster;  
wherein:  
the user device includes:
  - i) a first receiver operable to receive user input;
  - ii) a transmitter operable to transmit, in response to a first user input identifying content to be recorded, a request to said remote capture system to capture the content identified by said first user input;
  - iii) a second receiver operable to receive the content data captured, remotely, in response to the request, ;
  - iv) a storage device for storing the captured and processed content data received by said second receiver; and
  - v) a playout unit operable to retrieve the content from said storage device and operable to playout the retrieved content;the content data remotely captured is also processed by said remote capture system;  
the capture system is operable to maintain a record of all content transmitted to said user device for storage in said storage device;  
said capture system is operable to download data defining a graphical user interface based on the record of the content stored in the storage device of the user device;  
said graphical user interface identifies content that has been captured by said capture system in response to a request received by said user device and content that has been

- captured automatically by said capture system based on a user profile for the user associated with the user device;
- the graphical user interface is operable to communicate inputs from the user to the server side of the content delivery system, whereby a request from the user to retrieve and playout content stored in the storage device of the user device is provided to the server side of the content delivery system; and
- the playout of the content stored in the storage device is enabled under control of the server side of the content delivery system.
2. (Original) A system according to claim 1, wherein said capture system is operable to process said captured content data to determine tag data identifying the timing of content segments within the captured content.
3. (Original) A system according to claim 2, wherein said capture system is operable to transmit said captured content data together with said tag data to said second receiver of said user device and wherein said storage device is operable to store both the captured content data and the generated tag data.
4. (Original) A system according to claim 3, wherein said playout unit is operable to control the playout of said stored content data in dependence upon on the tag data associated with the content data.
5. (Original) A system according to claim 4, wherein said playout unit is operable to control the playout of said content data in accordance with said tag data and a user input identifying the rate at which the content data is to be played out.
6. (Original) A system according to claim 5, wherein said playout unit is operable to control the rate at which said content data is played out to provide fast forward and/or rewind capabilities.

7. (Previously presented): A system according to claim 1, wherein said content data represents a video broadcast.

8. (Original) A system according to claim 7, wherein said capture system includes a video server operable to capture video data as it is broadcast by said content broadcaster.

9. (Previously presented): A system according to claim 7, further comprising a personal video recorder (PVR) server operable to receive the requests transmitted by said user device and operable to control the capturing of said video data by said video server.

10. (Original) A system according to claim 9, wherein said capture system includes a database, wherein said PVR server is operable to store received user requests for content recordal in said database and further comprising a scheduler operable to process the requests stored in said database together with programme guide data identifying the timing at which content is to be broadcast by said content broadcaster, to control the capturing of content by said video server.

11. (Original) A system according to claim 10, wherein said scheduler is operable to provide channel data identifying the channels to be recorded together with data identifying the start and end time for the recordings.

12. (Previously presented): A system according to claim 1, wherein said capture system is operable to generate a contents schedule for each piece of content captured by the capture system, which contents schedule identifies a sequence of content portions of captured content to be played out by the payout unit of said user device.

13. (Original) A system according to claim 12, wherein said contents schedule identifies a sequence of programme segments and adverts to be played out by said payout unit.

14. (Previously presented): A system according to 12, wherein said capture system is operable to generate a personalised contents schedule for the user device based on a user profile associated with a user of the user device.

15. (Original) A system according to claim 14, wherein said capture system is operable to personalise said contents schedule by selecting advert data defining personalised adverts to be played out by said playout unit.

16. (Canceled).

17. (Previously presented): A system according to claim 12, wherein said capture system is operable to generate a plurality of different contents schedules one for each of a corresponding plurality of different user types, wherein the user associated with the user device is categorised as belonging to one of said user types and wherein said capture system is operable to transmit to said user device the contents schedule for the type of user associated with the user device.

18. (Previously presented): A system according to claim 12, wherein said capture system is operable to mark one or more of said sequence of content portions to restrict playout control available to a user of said user device.

19. (Canceled)

20. (Previously presented): A system according to claim 1, wherein said capture system is operable to transmit guide data identifying different content that will be broadcast by said contents broadcaster and wherein said user device is operable to output said guide data to said user.

21. (Previously Presented): A system according to claim 1, wherein said capture system is operable to generate a menu page identifying the content that can be recorded by said capture system and wherein said user device is operable to display said menu page to said user.

22. (Canceled)

23. (Previously Presented): A system according to claim 1, wherein:  
said capture system is operable to capture and buffer all content broadcast by said content broadcaster during a previous N hours;  
said user device includes a third receiver for receiving live content broadcast from said content broadcaster; and  
said capture system is operable to use the content captured during said previous N hours to provide pause live content functionality to said user device.

24-27. (Canceled)

28. (Previously presented): A system according to claim 1, wherein said capture system includes a transmitter for transmitting the captured and processed content data to said user device at a data rate which is less than a data rate required for real time playout of the content by said playout unit.

29-31. (Canceled)

32. (Previously Presented): A system according to claim 1, further comprising a second storage device provided remote from said user device and operable to store content captured by said capture system for a user associated with the user device, wherein:  
said user device is operable to transmit a recorded content playout request to said capture system, and

said capture system is operable to redirect the user to the storage device containing the requested content.

33. (Canceled).

34. (Previously Presented): A system according to claim 1, wherein said capture system is operable to make suggestions of content to be recorded to said user device and is operable to record suggestions selected by a user associated with the user device.

35. (Original) A system according to claim 34, wherein said capture system is operable to make said suggestions based on user profile data for the user associated with the user device.

36. (Previously presented): A system according to claim 34, wherein said capture system is operable to make said suggestions based on previous programmes viewed by the user associated with the user device.

37-38 (Canceled)

39. (Previously Presented): A system according to claim 1, wherein multiple users are associated with said user device, wherein said capture system includes user profile data for each user associated with the user device, and wherein said user device is operable to transmit current user ID data to said capture system to identify the current user associated with the user device, and wherein the capture system is operable to use said current ID data to select the user profile data for the current user.

40. (Previously Presented): A system according to claim 39, wherein said capture system maintains a record list for each user associated with the user device and is operable to use the current user ID to select the record list for the current user of the user device.

41-50 (Canceled)

51. (Currently Amended) A user device for use in a content delivery system, the user device comprising:

- a first receiver operable to receive user input;

- a transmitter operable to transmit, in response to a first user input identifying content to be recorded, a request to a remote capture system to capture the content identified by said first user input;

- a second receiver operable to receive captured and processed content data from said remote capture system;

- a storage device for storing the captured and processed content data received by said second receiver; and

- a playout unit operable to playout the contents stored on the storage device only in response to receiving a remote transmission indicating permission to playout the contents;

whereby the user device initiates server side capture of the content, provides client side storage of the captured content, and initiates playout of the captured content under server side control;

wherein said capture system is operable to download data defining a graphical user interface based on the record of the content stored in the storage device of the user device; and

said graphical user interface identifies content that has been captured by said capture system in response to a request received by said user device and content that has been captured automatically by said capture system based on a user profile for the user associated with the user device.

52. (Original) A user device according to claim 51, wherein said captured and processed content data includes tag data identifying the timing of content segments within the captured content and wherein said storage device is operable to store both the captured content data and the generated tag data.

53. (Original) A user device according to claim 52, wherein said playout unit is operable to control the playout of said stored content data in dependence upon on the tag data associated with the content data.

Claim 54-62 (Canceled)

63. (Previously Presented): A user device according to claim 51 , operable to receive said captured and processed content data at a data rate which is less than a data rate required for real time playout of the content by said playout unit.

64. (Canceled)

65. (Previously Presented): A user device according to claim 51, operable to transmit a recorded content playout request to said remote capture system and operable to receive a redirect instruction from said capture system to the storage location of the requested content.

66-69 (Canceled) .

70. (Currently Amended) A capture system for use in a content delivery system, the capture system comprising:

- a receiver operable to receive a user request from a remote user device, identifying content to be captured;

- a capture device operable to capture and process content data as it is broadcast from a content broadcaster in accordance with said user request;

- a transmitter operable to transmit captured and processed content data to said remote user device for storage therein;

- wherein, in response to a request from the remote user device for playout of the transmitted content data, the capture system is operable to make a determination as to whether



the playlist request should be granted, and responds to the request based on the result of the determination;

wherein said capture system is operable to download data defining a graphical user interface based on the record of the content stored in the storage device of the user device; and said graphical user interface identifies content that has been captured by said capture system in response to a request received by said user device and content that has been captured automatically by said capture system based on a user profile for the user associated with the user device.

71. (Original) A system according to claim 70, operable to process said captured content data to determine tag data identifying the timing of content segments within the captured content.

72. (Original) A system according to claim 71, operable to transmit said captured content data together with said tag data to said user device for storage in said user device.

73. (Previously Presented): A system according to claim 70, wherein said capture device is operable to capture a video broadcast and wherein said capture device includes a video server operable to capture video data as it is broadcast by said content broadcaster.

74-75 (Canceled)

76. (Previously Presented): A system according to claim 70, wherein said capture device includes a database, wherein said receiver is operable to store received user requests for content recordal in said database and further comprising a scheduler operable to process the requests stored in said database together with programme guide data identifying the timing at which content is to be broadcast by said content broadcaster, to control the capturing of content by said capture device.

77. (Previously Presented): A system according to claim 76, wherein said scheduler is operable to provide, to said capture device, channel data identifying the channels to be recorded together with data identifying the start and end time for the recordings.

78. (Previously presented): A system according to claim 70, operable to generate a contents schedule for each piece of content captured by the capture device, which contents schedule identifies a sequence of content portions of captured content to be played out by the user device.

79-91 (Canceled)

92. (Previously Presented): A system according to claim 70, wherein said transmitter is operable to transmit the captured and processed content data to said user device at a data rate which is less than a data rate required for real time payout of the content by said user device.

93-105 (Canceled)

106. (Currently Amended) A content delivery method comprising:  
transmitting from a user device in response to a user input, a request to a remote capture system to capture content identified by the user input;  
receiving the user request at the remote capture system and capturing and processing the identified content when it is broadcast from a content broadcaster;  
transmitting the captured and processed content data to said user device;  
storing the content data received by said user device in a storage device of the user device; and  
retrieving, in response to a user input, provided from the user device to the remote capture system, and identifying stored content to be played out, the content identified by said user input from said storage device and playing out under control of the remote capture system the retrieved content to an associated user;

wherein said capture system is operable to download data defining a graphical user

interface based on the record of the content stored in the storage device of the user device; and  
said graphical user interface identifies content that has been captured by said capture  
system in response to a request received by said user device and content that has been captured  
automatically by said capture system based on a user profile for the user associated with the user  
device.

107-143 (Canceled)

144. (Previously Presented): A computer readable medium storing computer executable instructions for causing a programmable computer device to become configured as the user device of claim 51.

145. (Cancelled):

146. (Previously {Presented): A computer readable medium storing computer executable instructions for causing a programmable computer device to become configured as the capture system according to claim 70.

147. (Cancelled):